SAFETY DATA SHEET



DS-3 2kg

Identification of the preparation and of the company 1.

Product name	• :	DS-3 2kg			
Code	:	58223			
Head Office	:	Cookson Electronics Forsyth Road Sheerwater Woking Surrey England GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837	Manufacturer	:	Cookson Electronics Forsyth Road Sheerwater Woking Surrey England GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837
Contact persor	n :	shosken@cooksonelectronics.com			
Material uses	: :	Water-conditioning agent.			
2 Hazard	s	identification			
The product is class	sifie	d as dangerous according to Direc	tive 1999/45/EC an	nd its a	amendments.
Classification		: Xi; R36/38 R52/53			
Effects and symptoms	S				

See section 11 for mor	e detailed information on health effects and symptoms.
Toxicity data	Not available.
Eye contact	Hazardous by the following route of exposure: of eye contact (irritant).
Skin contact	Slightly hazardous by the following route of exposure: of skin contact (irritant).
Ingestion	May cause burns to mouth, throat and stomach.
Inhalation	Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterised by burning, sneezing and coughing.
Effects and symptoms	

Composition/information on ingredients 3

Substance/preparation : Preparation				
Ingredient name	CAS number	%	EC number	Classification
Europe sulphamidic acid	5329-14-6	80 - 100	226-218-8	Xi; R36/38 R52/53
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indecate the potential hazards of the ingredients



4. First-aid measures

First-aid measures	
Inhalation	: Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Ingestion	: Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
See section 11 for more det	ailed information on health effects and symptoms.

5. Fire-fighting measures

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: No specific fire or explosion hazard.
	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is harmful to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel fror entering. Do not touch or walk through spilt material. Provide adequate ventilati Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).	
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drain and sewers. Inform the relevant authorities if the product has caused environmen pollution (sewers, waterways, soil or air). Water polluting material.	
Large spill	:	Move containers from spill area. Approach the release from upwind. Prevent er into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.	
Date of issue	:	20/01/2012.	2/8



6. Accidental release measures

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling	: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage: Store in accordance with local regulations. Store in original container protected from
direct sunlight in a dry, cool and well-ventilated area, away from incompatible
materials (see section 10) and food and drink. Keep container tightly closed and
sealed until ready for use. Containers that have been opened must be carefully
resealed and kept upright to prevent leakage. Do not store in unlabelled containers.
Use appropriate containment to avoid environmental contamination.

Packaging materials

- Recommended
- : Use original container.

8. Exposure controls/personal protection

Ingredient name	Occupational exposure limits	
Europe		
No exposure limit value known.		
Sweden		
No exposure limit value known.		
Denmark		
No exposure limit value known.		
Norway		
No exposure limit value known.		
France		
No exposure limit value known.		
Netherlands		
No exposure limit value known.		
Germany		
No exposure limit value known.		
Finland		
No exposure limit value known.		
United Kingdom (UK)		
Not available.	Not available.	
Austria		
No exposure limit value known.		
Switzerland		
No exposure limit value known.		
Belgium		
No exposure limit value known.		
Spain		
No exposure limit value known.		
Date of issue : 20/01/2	2012.	3/8



DS-3	2ka
00-0	LNY

8. Exposure controls/personal protection

Turkey

No exposure limit value known.

Czech Republic

No exposure limit value known.

Ireland

No exposure limit value known.

Italy

No exposure limit value known.

Estonia

No exposure limit value known.

Lithuania

No exposure limit value known.

Slovakia

No exposure limit value known.

Hungary

No exposure limit value known.

Poland

No exposure limit value known.

Slovenia

No exposure limit value known.

Latvia

No exposure limit value known.

Greece

No exposure limit value known.

Portugal

Date of issue

No exposure limit value known.

Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.
Exposure controls		
Occupational exposure controls	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended:None assigned.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. <1 hours (breakthrough time): disposable vinyl





8. Exposure controls/personal protection			
Eye protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: safety glasses with side-shields EN 166 1F		
Skin protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned. 		
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		

9. Physical and chemical properties

General information		
<u>Appearance</u>		
Physical state	: Solid.	
Colour	: Yellow.	
Odour	: acidic smell	
Important health, safety and environmental information		
рН	2 [Conc. (% w/w): 1%]	
Melting point	: 205°C (401°F)	
Solubility	: Soluble in the following materials: cold water and hot water.	
VOC content	: 0 % (w/w) [ISO % 11890-2]	

10. Stability and reactivity

Stability	: The product is stable.
Conditions to avoid	: No specific data.
Materials to avoid	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Potential acute health effects		
Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	÷	Irritating to mouth, throat and stomach.
Skin contact	1	Irritating to skin.
Eye contact	÷	Irritating to eyes.
Acute toxicity		

Over-exposure signs/symptoms

Target organs

: Contains material which may cause damage to the following organs: skin, eyes.

12. Ecological information

Aquatic ecotoxicity					
Product/ingredient name	Test	Result	Species	Exposure	



DS-3 2kg			
12. Ecological in	formation		
sulphamidic acid	- Acute LC50 Fish - Fathead 96 hours 70300 to 84000 minnow - ug/L Fresh water Pimephales promelas - 0.3 to 1 g		
	- Acute LC50 Fish - Fathead 96 hours 14200 ug/L Fresh minnow - water Pimephales promelas		
Biodegradability			
Other adverse effects AOX	 No known significant effects or critical hazards. The product contains organically bound halogens and can contribute to the AOX value in waste water. 		
13. Disposal con	siderations		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.		
European waste catalogue (EWC)	: 16 03 03* inorganic wastes containing dangerous substances		
Hazardous waste	: Yes.		

14. Transport information

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	2967	Sulphamic acid (sulphamidic acid)	8	111		Hazard identification number 80
						CEFIC Tremcard 80GC9-III
IMDG Class	2967	Sulphamic acid (sulphamidic acid)	8	-		<u>Emergency</u> <u>schedules (EmS)</u> F-A, S-B
IATA Class	2967	Sulphamic acid (sulphamidic acid)	8	111	e e e e e e e e e e e e e e e e e e e	Passenger and Cargo Aircraft Quantity limitation: 5 kg Cargo Aircraft Only Quantity limitation: 60 kg

PG* : Packing group



15. Regulatory information

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols :



Emission control directive	1	Not classified.
-----------------------------------	---	-----------------

16. Other information

Full text of R-phrases referred to in sections 2 and 3 - Europe	:	R36/38- Irritating to eyes and skin. R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Full text of classifications referred to in sections 2 and 3 - Europe	1	Xi - Irritant
<u>History</u>		
Date of printing	:	01/10/2012.
Date of issue	:	20/01/2012.
Date of previous issue	:	23/09/2010.
Version	:	7
Prepared by	:	Simon Hosken Environmental, Health and Safety Manager

✓ Indicates information that has changed from previously issued version.

References

The Health and Safety At Work Act 1974, section 6. Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and REACh 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

Notice to reader



16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

